

Prepared for:  
**NANO LABS LLC**

2833 N. EL PASO ST. SUITE 130  
COLORADO SPRINGS, CO USA 80907

## Distillate, Broad Spectrum

Batch ID or Lot Number: <b>BSDISTUNK</b>	Test: <b>Potency</b>	Reported: <b>22Nov2022</b>	USDA License: N/A
Matrix: Concentrate	Test ID: T000228128	Started: 21Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 17Nov2022	Status: N/A

## Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.050	0.174	ND	ND	
Cannabichromenic Acid (CBCA)	0.045	0.159	ND	ND	
Cannabidiol (CBD)	0.170	0.449	90.920	909.20	
Cannabidiolic Acid (CBDA)	0.174	0.461	ND	ND	
Cannabidivarin (CBDV)	0.040	0.106	0.260	2.60	
Cannabidivarinic Acid (CBDVA)	0.073	0.192	ND	ND	
Cannabigerol (CBG)	0.028	0.099	0.400	4.00	
Cannabigerolic Acid (CBGA)	0.118	0.413	ND	ND	
Cannabinol (CBN)	0.037	0.129	0.970	9.70	
Cannabinolic Acid (CBNA)	0.080	0.282	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.140	0.492	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.128	0.447	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.113	0.396	ND	ND	
Tetrahydrocannabivarin (THCV)	0.026	0.090	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.100	0.349	ND	ND	
<b>Total Cannabinoids</b>			<b>92.550</b>	<b>925.50</b>	
Total Potential THC			ND	ND	
Total Potential CBD			90.920	909.20	

## Final Approval



Sam Smith  
22Nov2022  
02:57:00 PM MST

PREPARED BY / DATE



Karen Winternheimer  
22Nov2022  
02:59:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/5e4b028e-71e2-45b8-9536-0dc153476a7e>

**Definitions**  
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329.02

5e4b028e71e245b895360dc153476a7e.1