

Prepared for:
NANO LABS LLC

2833 N. EL PASO ST. SUITE 130
COLORADO SPRINGS, CO USA 80907

Full Spectrum Tincture, 900mg, 1oz

Batch ID or Lot Number: BWFST900-002	Test: Potency	Reported: 25Jan2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000233617	Started: 23Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 23Jan2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.004	0.015	0.170	1.70	
Cannabichromenic Acid (CBCA)	0.004	0.014	ND	ND	
Cannabidiol (CBD)	0.014	0.046	3.640	36.40	
Cannabidiolic Acid (CBDA)	0.014	0.047	ND	ND	
Cannabidivarin (CBDV)	0.003	0.011	0.020	0.20	
Cannabidivarinic Acid (CBDVA)	0.006	0.020	ND	ND	
Cannabigerol (CBG)	0.002	0.008	0.130	1.30	
Cannabigerolic Acid (CBGA)	0.010	0.035	ND	ND	
Cannabinol (CBN)	0.003	0.011	0.030	0.30	
Cannabinolic Acid (CBNA)	0.007	0.024	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.012	0.042	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.011	0.038	0.060	0.60	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.010	0.034	ND	ND	
Tetrahydrocannabivarin (THCV)	0.002	0.008	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.009	0.030	ND	ND	
Total Cannabinoids			4.050	40.50	
Total Potential THC			0.060	0.60	
Total Potential CBD			3.640	36.40	

Final Approval



Sam Smith
25Jan2023
12:48:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
25Jan2023
12:52:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/159d5a19-e970-44f4-8a01-15e6867b82a6>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
159d5a19e97044f48a0115e6867b82a6.1